

NASA TECH BRIEF



NASA Tech Briefs are issued by the Technology Utilization Division to summarize specific technical innovations derived from the space program. Copies are available to the public from the Clearinghouse for Federal Scientific and Technical Information, Springfield, Virginia, 22151.

Device Measures Curved Surface Finish on Gear Teeth





The problem: Measuring the surface finish or roughness on the curved portions of gear teeth. Conventional devices, such as profilometers, are designed to measure the finish on flat surfaces and cannot directly be used on convex or concave surfaces.

The solution: A device used in conjunction with a conventional profilometer. The stylus of the profilometer is held stationary (with respect to rotation) in contact with the involute surface of a gear tooth which is made to oscillate over a small circular arc.

How it's done: The device consists of a block containing a hub on which the gear is mounted and a parallel shaft that oscillates the gear over a small arc around the axis of the shaft. The shaft is mounted on bearings and is oscillated by a friction drive. The

center-to-center distance between the hub and the shaft is adjustable to accommodate gears of different sizes.

In setting up for a measurement, a gear is mounted on the hub and the rotational center of the shaft is made to coincide with the radial center of one of the gear teeth. The stylus of the profilometer is then placed in contact with the involute surface of the gear tooth and the shaft is set into oscillation. Since the stylus is always directly above the center of the oscillating shaft (and radial center of the gear tooth), it will be constrained to follow the up and down surface irregularities of the gear tooth. The degree of precision of the measurement will depend on how closely the gear-tooth involute approximates a circular arc. The stylus, which may be a magnetostrictive or

(continued overleaf)

This document was prepared under the sponsorship of the National Aeronautics and Space Administration. Neither the United States Government, nor NASA, nor any person acting on behalf of NASA: A. Makes any warranty or representation, express or implied, with respect to the accuracy, completeness, or usefulness of the information contained in

this document, or that the use of any information, apparatus, method, or process disclosed in this document may not infringe privately-owned rights; or B. Assumes any liabilities with respect to the use of, or for damages resulting from the use of, any information, apparatus, method, or process disclosed in this document.

piezoelectric pickup, converts the surface irregularities into electrical signals which are transmitted to a recorder.

Note:

Inquiries concerning this innovation may be directed to:

Technology Utilization Officer Western Operations Office 150 Pico Boulevard Santa Monica, California, 90406 Reference: B65-10064 Patent status: NASA encourages commercial use of this innovation. No patent action is contemplated.

Source: General Electric Co. under contract to Western Operations Office (WOO-112)

Brief 65-10064 Category No. 05